

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):



- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

ABSTRACT

The invention relates to an oxidation dyeing process for human keratin fibres, which comprises applying to the fibres a dye composition (A) containing, in a medium which is suitable for dyeing, at least one oxidation dye precursor and optionally one or more couplers; developing the colour in alkaline, neutral or acidic medium using an oxidizing composition (B) containing an oxidizing agent, at least one of the compositions (A) and (B) also containing an effective amount of at least one cationic amphiphilic polymer chosen from quaternized celluloses modified with groups containing at least one fatty chain, chosen from alkyl, arylalkyl and alkylaryl groups containing at least 8 carbon atoms, or mixtures thereof, and quaternized hydroxyethylcelluloses modified with groups containing at least one fatty chain, chosen from alkyl, arylalkyl and alkylaryl groups containing at least 8 carbon atoms, or mixtures thereof; the compositions (A) and (B) being mixed together immediately before use or applied one after the other to the keratin fibres.